

Literatur zum Beitrag

Andreas Rembert Koczulla, Rainer Glöckl, Christian Gogoll

S1-Leitlinie Long/Post-COVID (Auszug)

- Collaborators C-EM: Estimating excess mortality due to the COVID-19 pandemic: a systematic analysis of COVID-19-related mortality, 2020–21. *Lancet* 2022; 399: 1513–36. DOI: 10.1016/S0140–6736(21)02796–3
- Hansen T, Sevenius Nilsen T, Knapsstad M et al.: Covid-fatigued? A longitudinal study of Norwegian older adults' psychosocial well-being before and during early and later stages of the COVID-19 pandemic. *Eur J Ageing* 2022; 19: 463–73. DOI: 10.1007/s10433–021–00648–0
- Nguyen NN, Hoang VT, Dao TL et al.: Clinical patterns of somatic symptoms in patients suffering from post-acute long COVID: a systematic review. *Eur J Clin Microbiol Infect Dis* 2022; 41: 515–45. DOI: 10.1007/s10096–022–04417–4
- Alwan NA, Johnson L. Defining long COVID: Going back to the start. *Med (NY)* 2021; 2: 501–04. DOI: 10.1016/j.medj.2021.03.003
- Schwab K, Schwitzer E, Qadir N: Post-acute Sequelae of COVID-19 Critical Illness. *Crit Care Clin* 2022; 38: 455–72. DOI: 10.1016/j.ccc.2022.01.001
- Zollner A, Koch R, Jukic A et al.: Post-acute COVID-19 is Characterized by Gut Viral Antigen Persistence in Inflammatory Bowel Diseases. *Gastroenterology* 2022; 163: 495–506 e498. DOI: 10.1053/j.gastro.2022.04.037
- Gupta A, Madhavan MV, Sehgal K et al.: Extrapulmonary manifestations of COVID-19. *Nat Med* 2020; 26: 1017–032. DOI: 10.1038/s41591–020–0968–3
- Verger A, Kas A, Dudouet P et al.: Visual interpretation of brain hypometabolism related to neurological long COVID: a French multicentric experience. *Eur J Nucl Med Mol Imaging* 2022; 49: 3197–202. DOI: 10.1007/s00259–022–05753–5
- Douaud G, Lee S, Alfaro-Almagro F et al.: SARS-CoV-2 is associated with changes in brain structure in UK Biobank. *Nature* 2022; 604: 697–707. DOI: 10.1038/s41586–022–04569–5
- Laviolette L, Laveneziana P: Dyspnoea: a multidimensional and multidisciplinary approach. *Eur Respir J* 2014; 43: 1750–62. DOI: 10.1183/09031936.00092613
- Luger AK, Sonnweber T, Gruber L et al.: Chest CT of Lung Injury 1 Year after COVID-19 Pneumonia: The CoViLD Study. *Radiology* 2022; 304: 462–70. DOI: 10.1148/radiol.211670
- Motiejunaite J, Balagny P, Arnoult F et al.: Hyperventilation as one of the mechanisms of persistent dyspnoea in SARS-CoV-2 survivors. *Eur Respir J* 2021; 58. DOI: 10.1183/13993003.01578–2021
- Naeije R, Caravita S. Phenotyping long COVID. *Eur Respir J* 2021; 58. DOI: 10.1183/13993003.01763–2021
- Rinaldo RF, Mondoni M, Parazzini EM et al.: Deconditioning as main mechanism of impaired exercise response in COVID-19 survivors. *Eur Respir J* 2021; 58. DOI: 10.1183/13993003.00870–2021
- Skjorten I, Ankerstjerne OAW, Trebinjac D et al.: Cardiopulmonary exercise capacity and limitations 3 months after COVID-19 hospitalisation. *Eur Respir J* 2021; 58. DOI: 10.1183/13993003.00996–2021
- Hives L, Bradley A, Richards J et al.: Can physical assessment techniques aid diagnosis in people with chronic fatigue syndrome/myalgic encephalomyelitis? A diagnostic accuracy study. *BMJ Open* 2017; 7: e017521. DOI: 10.1136/bmjopen-2017–017521
- Hennigs JK, Huwe M, Hennigs A et al.: Respiratory muscle dysfunction in long-COVID patients. *Infection* 2022; 50: 1391–97. DOI: 10.1007/s15010–022–01840–9
- Huang C, Huang L, Wang Y et al.: 6-month consequences of COVID-19 in patients discharged from hospital: a cohort study. *Lancet* 2021; 397: 220–232. DOI: 10.1016/S0140–6736(20)32656–8
- Heidbreder A, Sonnweber T, Stefani A et al.: Video-polysomnographic findings after acute COVID-19: REM sleep without atonia as sign of CNS pathology? *Sleep Med* 2021; 80: 92–5. DOI: 10.1016/j.sleep.2021.01.051
- Yong SJ: Persistent Brainstem Dysfunction in Long-COVID: A Hypothesis. *ACS Chem Neurosci* 2021; 12: 573–80. DOI: 10.1021/acscchemneuro.0c00793
- Vitti-Ruela BV, Dokkedal-Silva V, Rosa DS et al.: Possible sequelae in post-SARS-CoV-2 patients: effects on sleep and general health condition. *Sleep Breath* 2021; 25: 963–4. DOI: 10.1007/s11325–020–02152–8
- Kardos P, Dinh QT, Fuchs KH et al.: [Guidelines of the German Respiratory Society for Diagnosis and Treatment of Adults Suffering from Acute, Subacute and Chronic Cough]. *Pneumologie* 2019; 73: 143–80. DOI: 10.1055/a-0808–7409
- Copin MC, Parmentier E, Duburcq T et al.: Time to consider histologic pattern of lung injury to treat critically ill patients with COVID-19 infection. *Intensive Care Med* 2020; 46: 1124–6. DOI: 10.1007/s00134–020–06057–8
- Han X, Fan Y, Alwalid O et al.: Six-month Follow-up Chest CT Findings after Severe COVID-19 Pneumonia. *Radiology* 2021; 299: E177–E186. DOI: 10.1148/radiol.2021203153
- S3-Leitlinie Müdigkeit der DEGAM 2020. Available from: https://www.degam.de/files/Inhalte/Leitlinien-Inhalte/Dokumente/DEGAM-S3-Leitlinien/053–002_Leitlinie%20Muedigkeit/Aktuelle%20Fassung%202018/053–002_LL_Muedigkeit_180423_online22–05–18.pdf.
- Zhao YM, Shang YM, Song WB et al.: Follow-up study of the pulmonary function and related physiological characteristics of COVID-19 survivors three months after recovery. *EClinicalMedicine* 2020; 25: 100463. DOI: 10.1016/j.eclinm.2020.100463
- Lehmann A, Prosch H, Zehetmayer S et al.: Impact of persistent D-dimer elevation following recovery from COVID-19. *PLoS One* 2021; 16: e0258351. DOI: 10.1371/journal.pone.0258351
- Katsoularis I, Fonseca-Rodriguez O, Farrington P et al.: Risks of deep vein thrombosis, pulmonary embolism, and bleeding after covid-19: nationwide self-controlled cases series and matched cohort study. *Bmj* 2022; 377: e069590. DOI: 10.1136/bmj-2021–069590
- Remy-Jardin M, Duthoit L, Perez T et al.: Assessment of pulmonary arterial circulation 3 months after hospitalization for SARS-CoV-2 pneumonia: Dual-energy CT (DECT) angiographic study in 55 patients. *EClinicalMedicine* 2021; 34: 100778. DOI: 10.1016/j.eclinm.2021.100778

30. Engelen MM, Vandenbrielle C, Balthazar T et al.: Venous Thromboembolism in Patients Discharged after COVID-19 Hospitalization. *Semin Thromb Hemost* 2021; 47: 362–71. DOI: 10.1055/s-0041–1727284
31. Dhawan RT, Gopalan D, Howard L et al.: Beyond the clot: perfusion imaging of the pulmonary vasculature after COVID-19. *Lancet Respir Med* 2021; 9: 107–16. DOI: 10.1016/S2213–2600(20)30407–0
32. Cho JL, Villacreses R, Nagpal P et al.: Quantitative Chest CT Assessment of Small Airways Disease in Post-Acute SARS-CoV-2 Infection. *Radiology* 2022; 304: 185–92. DOI: 10.1148/radiol.212170
33. Behr J, Günther A, Bonella F et al.: S2K-Leitlinie zur Diagnostik der idiopathischen Lungenfibrose. *Pneumologie* 2020; 74: 263–93
34. Grist JT, Chen M, Collier GJ et al.: Hyperpolarized (129)Xe MRI Abnormalities in Dyspneic Patients 3 Months after COVID-19 Pneumonia: Preliminary Results. *Radiology* 2021; 301: E353–E360. DOI: 10.1148/radiol.2021210033
35. Sonnweber T, Sahanic S, Pizzini A et al.: Cardiopulmonary recovery after COVID-19 – an observational prospective multi-center trial. *Eur Respir J* 2020. DOI: 10.1183/13993003.03481–2020
36. Bussolari C, Palumbo D, Fominsky E et al.: Case Report: Nintedaninb May Accelerate Lung Recovery in Critical Coronavirus Disease 2019. *Front Med* (Lausanne) 2021; 8: 766486. DOI: 10.3389/fmed.2021.766486
37. Dicipinigaitis PV, Spinner L, Santhyadka G et al.: Effect of tiotropium on cough reflex sensitivity in acute viral cough. *Lung* 2008; 186: 369–74. DOI: 10.1007/s00408–008–9114–6
38. Palmon PA, Jackson DJ, Denlinger LC: COVID-19 Infections and Asthma. *J Allergy Clin Immunol Pract* 2022; 10: 658–63. DOI: 10.1016/j.jaip.2021.10.072
39. Philip KEJ, BATTERY S, Williams P et al.: Impact of COVID-19 on people with asthma: a mixed methods analysis from a UK wide survey. *BMJ Open Respir Res* 2022; 9. DOI: 10.1136/bmjresp-2021–001056